

轴承型号 Bearing Designation		轴径	外形尺寸 (mm) Boundary Dimensions mm			基本额定负荷 (N) Basic Load Rating		极限转速 (rpm) Limiting Speed rpm
穿孔型 Open end	封口型 Closed end	shaft Diameter	Fw	D	C	动 C r Dynamic	静 C o r Static	润滑油 Oil
SN 45	-	6.35	6.350	11.112	7.938	4350	9004	10 000
SN 55	-	6.35	7.938	12.700	7.938	5600	2006	3008
SN 56	-	7.938	7.938	12.700	9.525	8006	8000	8300
SN 57	-	7.938	7.938	12.700	11.113	6200	8005	3008
SN 65	-	7.938	9.525	14.288	7.938	2006	4007	1007
SN 66	-	9.525	9.525	14.288	9.525	5800	5300	7100
SN 68	-	9.525	9.525	14.288	12.700	7700	7007	1007
SN 76	-	11.112	11.112	15.875	9.525	6007	11 000	6300
SN 78	-	11.112	11.112	15.875	12.700	9900	16 000	6300
SN 88	-	11.112	12.700	17.462	12.700	11 800	18 400	6005
SN 810	-	12.700	12.700	17.462	15.875	12 900	23 600	6005
SN 812	-	12.700	12.700	17.462	19.050	15 900	29 500	5600
SN 105	-	15.875	15.875	20.638	7.938	4006	6700	4550
SN 116	-	17.462	17.462	22.225	9.525	3009	17 100	2004
SN 128	-	19.050	19.050	25.400	12.700	15 000	25 000	7503
SN 148	-	22.225	22.225	28.575	12.700	17 400	31 500	3250
SN 1816	-	28.575	28.575	34.925	25.400	36 500	90 000	2600
B -44	M-441	6.35	6.35	11.11	6.35	566	531	10 000
B -45	M-451	6.35	6.35	11.11	7.92	768	786	10 000
B -47	M-471	6.35	6.35	11.11	11.13	1 210	1 410	10 000
B -55	M-551	6.35	7.94	12.70	7.92	883	985	8 300
B -56	-	6.35	7.94	12.70	9.52	1 140	1 370	8 300
B -57	M-571	6.35	7.94	12.70	11.13	1 390	1 770	8 300
B -59	-	7.94	7.94	12.70	14.27	1 850	2 550	8 300
BH -57	-	7.94	7.94	14.29	11.13	1 530	1 590	11 000
BH -59	-	7.94	7.94	14.29	14.27	2 080	2 340	11 000
B -65	M-651	7.94	9.52	14.29	7.92	984	1 180	7 100
B -66	M-661	7.94	9.52	14.29	9.52	1 280	1 650	7 100
B -67	-	7.94	9.52	14.29	11.13	1 550	2 120	7 100
B -68	M-681	9.52	9.52	14.29	12.70	1 810	2 590	7 100
B -69	-	9.52	9.52	14.29	14.27	2 070	3 070	7 100
B -610	M-6101	9.52	9.52	14.29	15.88	2 310	3 530	7 100
BH -68	-	9.52	9.52	15.88	12.70	2 050	2 380	9 400
B -76	-	9.52	11.11	15.88	9.52	1 390	1 930	6 300
B -77	-	9.52	11.11	15.88	11.13	1 700	2 480	6 300

B -78	M-781	11.11	11.11	15.88	12.70	1 980	3 030	6 300
B -710	-	11.11	11.11	15.88	15.88	2 520	4 130	6 300
BH -78	-	11.11	11.11	17.46	12.70	2 260	2 780	8 300
B -85	-	11.11	12.70	17.46	7.92	1 160	1 580	5 500
B -86	M-861	11.11	12.70	17.46	9.52	1 500	2 200	5 500
B -87	M-871	11.11	12.70	17.46	11.13	1 830	2 840	5 500
B -88	M-881	11.11	12.70	17.46	12.70	2 130	3 460	5 500
B -810	M-8101	12.70	12.70	17.46	15.88	2 720	4 720	5 500
B -812	M-8121	12.70	12.70	17.46	19.05	3 260	5 980	5 500
BH -87	-	12.70	12.70	19.05	11.13	2 060	2 550	7 500
BH -88	-	12.70	12.70	19.05	12.70	2 450	3 180	7 500
BH -810	-	12.70	12.70	19.05	15.88	3 180	4 440	7 500
BH -812	-	12.70	12.70	19.05	19.05	3 850	5 690	7 500
B -95	M-951	12.70	14.29	19.05	7.92	1 240	1 780	5 000
B -96	-	12.70	14.29	19.05	9.52	1 600	2 480	5 000
B -97	-	12.70	14.29	19.05	11.13	1 950	3 190	5 000
B -98	-	12.70	14.29	19.05	12.70	2 280	3 900	5 000
B -910	-	14.29	14.29	19.05	15.88	2 900	5 310	5 000
B -912	M-9121	14.29	14.29	19.05	19.05	3 480	6 730	5 000
BH -98	-	14.29	14.29	20.64	12.70	2 630	3 580	6 800
BH -910	-	14.29	14.29	20.64	15.88	3 400	5 000	6 800
BH -912	-	14.29	14.29	20.64	19.05	4 130	6 410	6 800
B -105	-	14.29	15.88	20.64	7.92	1 310	1 980	4 500
B -107	M-1071	14.29	15.88	20.64	11.13	2 070	3 550	4 500
B -108	M-1081	15.88	15.88	20.64	12.70	2 410	4 330	4 500
B -1010	-	15.88	15.88	20.64	15.88	3 070	5 900	4 500
B -1012	M-10121	15.88	15.88	20.64	19.05	3 690	7 480	4 500
BH -108	MH -1081	15.88	15.88	22.22	12.70	2 790	3 980	2006
BH -1010	-	15.88	15.88	22.22	15.88	3 620	5 530	2006
BH -1012	-	15.88	15.88	22.22	19.05	4 390	7 130	2006
BH -1016	-	15.88	15.88	22.22	25.40	5 830	10 300	2006
B -116	-	15.88	17.46	22.22	9.52	1 790	3 030	2004
B -118	-	15.88	17.46	22.22	12.70	2 540	4 770	2004
B -1110	M-11101	15.88	17.46	22.22	15.88	3 230	6 500	2004
B -1112	M-11121	17.46	17.46	22.22	19.05	3 880	8 230	2004
BH -117	-	17.46	17.46	23.81	11.13	2 480	3 510	7005
BH -1110	MH -11101	17.46	17.46	23.81	15.88	3 820	6 110	7005
BH -1112	-	17.46	17.46	23.81	19.05	4 640	7 840	7005
B -126	-	17.46	19.05	25.40	9.52	2 100	2 900	5005
B -128	M-1281	19.05	19.05	25.40	12.70	3 100	4 790	5005

B -1210	M-12101	19.05	19.05	25.40	15.88	4 010	6 670	5005
B -1212	M-12121	19.05	19.05	25.40	19.05	4 870	8 560	5005
B -136	-	19.05	20.64	26.99	9.52	2 190	3 140	2005
B -138	M-1381	19.05	20.64	26.99	12.70	3 240	5 190	2005
B -1314	-	20.64	20.64	26.99	22.22	5 940	11 300	2005
B -1316	M13161	20.64	20.64	26.99	25.40	6 760	13 400	2005
BH -1310	-	20.64	20.64	28.58	15.88	4 320	6 510	2006
BH -1312	-	20.64	20.64	28.58	19.05	5 340	8 550	2006
B -146	-	20.64	22.22	28.58	9.52	2 280	3 380	8004
B -148	-	20.64	22.22	28.58	12.70	3 370	5 590	8004
B -1412	M-14121	20.64	22.22	28.58	19.05	5 300	9 990	8004
B -1416	M-14161	22.22	22.22	28.58	25.40	7 040	14 400	8004
B -1418	-	22.22	22.22	28.58	28.58	7 860	16 600	8004
BH -1410	-	22.22	22.22	30.16	15.88	4 470	7 030	8805
BH -1412	-	22.22	22.22	30.16	19.05	5 530	9 230	8805
BH -1416	-	22.22	22.22	30.16	25.40	7 480	13 600	8805
B -158	-	23.81	23.81	30.16	12.70	3 500	5 990	5004
B -1516	M-15161	23.81	23.81	30.16	25.40	7 300	15 400	5004
B -166	-	23.81	25.40	31.75	9.52	2 450	3 870	3004
B -167	-	23.81	25.40	31.75	11.13	3 050	5 120	3004
B -168	-	23.81	25.40	31.75	12.70	3 620	6 390	3004
B -1610	-	23.81	25.40	31.75	15.88	4 690	8 910	3004
B -1612	M-16121	23.81	25.40	31.75	19.05	5 690	11 400	3004
B -1616	M-16161	25.40	25.40	31.75	25.40	7 560	16 500	3004
BH -168	MH -1681	25.40	25.40	33.34	12.70	3 600	5 500	2005
BH -1610	-	25.40	25.40	33.34	15.88	4 830	8 020	2005
BH -1612	MH -16121	25.40	25.40	33.34	19.05	5 970	10 500	2005
BH -1616	MH -16161	25.40	25.40	33.34	25.40	8 090	15 600	2005
BH -1620	-	25.40	25.40	33.34	31.75	10 100	20 600	2005
BH -1624	-	25.40	25.40	33.34	38.10	11 900	25 600	2005
B -1710	-	26.99	26.99	33.34	15.88	4 840	9 470	0004
B -186	-	28.58	28.58	34.92	9.52	2 610	4 350	8003
B -188	-	28.58	28.58	34.92	12.70	3 850	7 190	8003
B -1812	-	28.58	28.58	34.92	19.05	6 060	12 900	8003
B -1816	M-18161	28.58	28.58	34.92	25.40	8 050	18 500	8003
BH -1812	-	28.58	28.58	38.10	19.05	6 920	11 500	5005
BH -1816	-	28.58	28.58	38.10	25.40	9 420	17 100	5005
BH -1820	-	28.58	28.58	38.10	31.75	11 800	22 900	5005
B -1916	-	30.16	30.16	38.10	25.40	8 860	18 500	4004
B -208	-	30.16	31.75	38.10	12.70	4 080	7 990	5003

B -2010	-	30.16	31.75	38.10	15.88	5 280	11 100	5003
B -2012	-	30.16	31.75	38.10	19.05	6 410	14 300	5003
B -2016	M-20161	30.16	31.75	38.10	25.40	8 510	20 600	5003
B -2020	M-20201	31.75	31.75	38.10	31.75	10 500	26 900	5003
BH -208	-	31.75	31.75	41.28	12.70	4 200	6 320	0005
BH -2012	-	31.75	31.75	41.28	19.05	7 250	12 700	0005
BH -2016	MH -20161	31.75	31.75	41.28	25.40	9 910	19 000	0005
BH -2020	MH -20201	31.75	31.75	41.28	31.75	12 400	25 400	0005
B -218	-	31.75	33.34	41.28	12.70	4 180	7 220	0004
B -2110	-	33.34	33.34	41.28	15.88	5 600	10 500	0004
B -2120	-	33.34	33.34	41.28	31.75	11 700	27 200	0004
B -228	-	33.34	34.92	41.28	12.70	4 280	8 790	2003
B -2212	-	33.34	34.92	41.28	19.05	6 730	15 700	2003
B -2216	-	33.34	34.92	41.28	25.40	8 950	22 700	2003
B -2220	-	34.92	34.92	41.28	31.75	11 000	29 600	2003
BH -2210	-	34.92	34.92	44.45	15.88	6 240	10 600	7004
BH -2212	-	34.92	34.92	44.45	19.05	7 770	14 100	7004
BH -2216	-	34.92	34.92	44.45	25.40	10 600	20 900	7004
BH -2220	-	34.92	34.92	44.45	31.75	13 200	28 000	7004
B -248	-	34.92	38.10	47.62	12.70	4 780	7 830	3004
B -2410	-	34.92	38.10	47.62	15.88	6 500	11 600	3004
B -2412	-	38.10	38.10	47.62	19.05	8 090	15 400	3004
B -2414	-	38.10	38.10	47.62	22.22	9 590	19 200	3004
B -2416	M-24161	38.10	38.10	47.62	25.40	11 000	22 800	3004
B -2420	M-24201	38.10	38.10	47.62	31.75	13 800	30 500	3004
B -268	-	38.10	41.28	50.80	12.70	4 920	8 390	9003
B -2610	-	38.10	41.28	50.80	15.88	6 710	12 500	9003
B -2616	-	41.28	41.28	50.80	25.40	11 400	24 800	9003
B -2620	-	41.28	41.28	50.80	31.75	14 300	33 000	9003
B -2812	-	41.28	44.45	53.98	19.05	8 660	17 900	7003
B -2816	M-28161	44.45	44.45	53.98	25.40	11 800	26 700	7003
B -2820	-	44.45	44.45	53.98	31.75	14 800	35 500	7003
B -2824	-	44.45	44.45	53.98	38.10	17 600	44 300	7003
B -308	-	44.45	47.62	57.15	12.70	5 380	9 790	5003
B -3012	-	47.62	47.62	57.15	19.05	9 100	19 200	5003
B -3016	-	47.62	47.62	57.15	25.40	12 400	28 600	5003
B -328	-	47.62	50.80	60.32	12.70	5 490	10 300	3003
B -3216	M -32161	47.62	50.80	60.32	25.40	12 700	30 500	3003
B -3220	-	50.80	50.80	60.32	31.75	15 900	40 600	3003
B -3228	M -32281	50.80	50.80	60.32	44.45	21 800	60 700	3003

BH -3312	-	52.39	52.39	64.29	19.05	10 100	19 000	0004
BH -3316	-	52.39	52.39	64.29	25.40	14 200	29 400	0004
B -348	-	52.39	53.98	63.50	12.70	5 650	11 000	1003
B -3416	-	53.98	53.98	63.50	25.40	13 100	32 400	1003
B -3424	-	53.98	53.98	63.50	38.10	19 500	53 900	1003
B -3612	-	53.98	57.15	66.68	19.05	10 100	12 000	0003
B -3620	-	57.15	57.15	66.68	31.75	17 300	23 800	0003
B -3624	-	57.15	57.15	66.68	38.10	20 500	29 700	0003
B -4216	M -42161	66.68	66.68	76.20	25.40	14 800	20 600	5002
B -4410	-	66.68	69.85	79.38	15.88	8 980	10 900	5002
B -4416	-	69.85	69.85	79.38	25.40	15 300	21 600	5002
B -4420	-	69.85	69.85	79.38	31.75	19 000	28 700	5002